

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	33	(US-20010037308-\$ or US-20010054148-\$ or US-20020002675-\$ or US-20020190130-\$ or US-20030026429-\$ or US-20030026431-\$ or US-20030048909-\$ or US-20030091193-\$ or US-20040031856-\$ or US-20040243496-\$).did. or (US-4853962-\$ or US-5159634-\$ or US-5233547-\$ or US-5272754-\$ or US-5276735-\$ or US-5297207-\$ or US-5502766-\$ or US-5703952-\$ or US-5748737-\$ or US-5764767-\$ or US-5771291-\$ or US-5892211-\$ or US-6021203-\$ or US-6067621-\$ or US-6075858-\$ or US-6102162-\$ or US-6154541-\$ or US-6266413-\$ or US-6324287-\$ or US-6351539-\$ or US-6445794-\$ or US-6480101-\$ or US-6611913-\$).did.	US-PGPUB; USPAT	OR	OFF	2005/12/13 12:27
L2	1	L1 and (check with book)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 12:27
S1	602	380/44.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 10:48
S2	29	S1 and (one adj time adj pad)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 19:19
S3	8	S2 and (token card smart adj card rfid)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 19:20
S4	6	(smart adj card rfid) SAME (one adj time adj pad)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 13:03

S5	1	(smart\$1card rfid) SAME (one\$1time\$1pad)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 13:03
S6	61	(smart adj card rfid) AND (one adj time adj pad)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 14:35
S7	63	((one adj time adj pad) SAME (number and (\$2ID serial unique))) AND (index count\$2 pointer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 09:57
S10	58	S7 and (@rlad<"20011218" or @ad<"20011218")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 15:28
S11	38	S7 and (@ad<"20011218")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 15:04
S12	13	((one adj time adj pad) with (number and (\$2ID serial unique))) AND (index count\$2 pointer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 15:27
S13	10	((one adj time adj pad) with (key and (ID serial unique))) AND (index count\$2 pointer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 15:35
S14	7	S13 and (@rlad<"20011218" or @ad<"20011218")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 19:01

S15	2	((one adj time adj pad) with ID) AND (index offset count\$2 pointer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 15:43
S16	641	380/46.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 15:44
S17	31	S16 and (one adj time adj pad)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 16:18
S18	120	380/228.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 15:55
S19	0	S18 and (one adj time adj pad)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 15:56
S20	5	S18 and (stream adj cipher)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 16:17
S21	209	380/262.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 16:18
S22	6	S21 and (one adj time adj pad)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 16:22

S23	6	S21 and (one adj time adj pad one\$1time\$1pad)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 16:28
S24	238	713/169.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 16:26
S25	890	713/169,171,172.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 16:26
S26	6	S25 and (one adj time adj pad one\$1time\$1pad)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 17:29
S27	35	S25 and (one adj time adj pad one\$1time\$1pad OTP one adj time adj password)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 17:58
S28	14	S25 and (one adj time adj pad one\$1time\$1pad OTP)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 18:09
S29	7	("4549308" "5091942" "5319711" "5455863" "5745572" "6108424" "6259908").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/12 18:07
S30	3346	(one adj time adj pad one\$1time\$1pad OTP)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 18:15
S31	130	S30 and synchronize	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 18:13

S32	296	S30 and synchroniz\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 18:15
S33	199	S32 and (@rlad<"20011218" or @ad<"20011218")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 18:37
S34	394	(one adj time adj pad one\$1time\$1pad)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 18:15
S35	65	S34 and synchroniz\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 18:15
S36	51	S35 and (@rlad<"20011218" or @ad<"20011218")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 18:36
S37	450	vernam	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 18:36
S38	203	S37 and (@rlad<"20011218" or @ad<"20011218")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 18:38
S39	39	S38 and (smart adj card card chip RFID portable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 18:38

S40	315	380/278.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 10:59
S41	18	S40 and (OTP one adj time adj pad vernam)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 10:54
S42	24	S40 and (OTP one adj time adj pad vernam stream adj cipher)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 11:00
S43	826	380/277.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 10:59
S44	42	S43 and (OTP one adj time adj pad vernam stream adj cipher)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 11:13
S45	28	713/182,183,185.ccls. and (OTP one adj time adj pad vernam stream adj cipher)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 11:16
S46	31	713/182,183,184,185.ccls. and (OTP one adj time adj pad vernam stream adj cipher)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 12:09
S47	1	portable with one adj time adj pad	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 12:11

S48	1	portable SAME one adj time adj pad	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 12:12
S49	5	(mobile portable) SAME one adj time adj pad	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 12:14
S50	0	(smart adj card token) with (key adj stream) with stor\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/18 12:20
S51	4	(smart adj card token) with (key adj stream)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/18 12:24
S52	12	(smart adj card token) same (key adj stream)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/18 12:26
S53	8	(pre\$1computed pre\$generated) same ((cipher key) adj stream cipherstream keystream)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/18 13:36
S54	40	(pre\$1computed pre\$generated buffer\$3) same ((cipher key) adj stream cipherstream keystream)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/18 18:35
S55	2	"6480101".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/18 13:43

S56	198	cipher and device and (random with (index position))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/18 19:03
S57	1	US20020169608A1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/18 18:44
S58	1	US20040236819A1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/18 18:58
S59	1	US20040236819A1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/18 18:58
S60	146	S56 and (@rlad<"20011218" or @ad<"20011218")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 19:05
S61	361	cipher and device and (random with (index position counter))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/18 19:04
S62	229	cipher and device and (random with (index position counter)) and authentic\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/18 19:05
S63	168	S62 and (@rlad<"20011218" or @ad<"20011218")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 19:06

S64	2	"6816968".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 19:06
S65	98	((one adj time adj pad) SAME (key and (\$2ID serial unique)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 10:04
S68	85	S65 and (@rlad<"20011218" or @ad<"20011218")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 10:03
S69	61	S65 and (@ad<"20011218")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 10:07
S70	95	((one adj time adj pad) SAME (key and (creat\$3 generat\$3 encrypt\$3 encod\$3) and (\$2ID serial unique)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 10:12
S71	59	S70 and (@ad<"20011218")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 10:14
S72	82	((one adj time adj pad) SAME (key SAME (creat\$3 generat\$3 encrypt\$3 encod\$3) SAME (\$2ID serial unique)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 10:15
S73	59	S71 and (@ad<"20011218")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 10:36

S74	20	((one adj time adj pad) SAME ((secret private symmetric) adj key SAME (creat\$3 generat\$3 encrypt\$3 encod\$3) SAME (\$2ID serial unique)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 11:02
S75	14	S74 and (@ad<"20011218")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 10:36
S76	3	((one adj time adj pad stream adj cipher) and ((encrypt\$3 encod\$3 encipher\$3) adj2 (\$2ID serial unique) adj2 (secret private symmetric) adj key))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 11:16
S77	0	((generat\$3) adj (one adj time adj pad stream adj cipher) with ((encrypt\$3 encod\$3 encipher\$3) adj2 (\$2ID serial identi\$4) adj2 (secret private symmetric) adj key))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 11:18
S78	0	(electronic adj check\$1book) same (RFID)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 18:42
S79	2	(electronic adj check\$1book) same (radio)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 18:52
S80	4	(electronic adj checking) same (radio RFID)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 18:53
S81	11	(electronic adj check) same (radio RFID)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 18:53

S82	33	(US-20010037308-\$ or US-20010054148-\$ or US-20020002675-\$ or US-20020190130-\$ or US-20030026429-\$ or US-20030026431-\$ or US-20030048909-\$ or US-20030091193-\$ or US-20040031856-\$ or US-20040243496-\$).did. or (US-4853962-\$ or US-5159634-\$ or US-5233547-\$ or US-5272754-\$ or US-5276735-\$ or US-5297207-\$ or US-5502766-\$ or US-5703952-\$ or US-5748737-\$ or US-5764767-\$ or US-5771291-\$ or US-5892211-\$ or US-6021203-\$ or US-6067621-\$ or US-6075858-\$ or US-6102162-\$ or US-6154541-\$ or US-6266413-\$ or US-6324287-\$ or US-6351539-\$ or US-6445794-\$ or US-6480101-\$ or US-6611913-\$).did.	US-PGPUB; USPAT	OR	OFF	2005/12/13 08:58
S83	11	S82 and (RFID radio)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 12:26